

## Vertical frame (duct height 500-2000 mm)

Item no. 2001401	500-699 mm	(1 set= 2 pcs)
Item no. 2001402	700-1199 mm	(1 set= 2 pcs)
Item no. 2001403	1200-2000 mm	(1 set= 2 pcs)
Purpose	mounting frame	



## Telescopic struts (duct width 500-2000 mm)

Item no. 2001411	500-799 mm	(1 set= 2 pcs)
Item no. 2001412	800-1399 mm	(1 set= 2 pcs)
Item no. 2001413	1400-2000 mm	(1 set= 2 pcs)
Purpose	mounting frame	



## Mounting brackets for NKBD incl. adjustable feet

Item no	2000105	
NKBD-6...24	needs: 2 mounting brackets	
NKBD-30...42	needs: 3 mounting brackets	
Purpose	mounting NKBD in the mounting frame	



## Leakage tray size A

Item no.	2001120
Purpose	for RB/P-2...6 for RB/P-D2...6



## Leakage tray size B

Item no.	2001121
Purpose	for RB/P-8...10 for RB/P-D8...10



## Leakage tray size C

Item no.	2001122
Purpose	for RB/P-16 for RB/PD-16



## Leakage tray size D

Item no.	2001123
Purpose	for UB-1...4



Rev 10/2019



**AIRWIN**  
Die Kunst der Luftbefeuchtung  
The art of humidification

BOGA GmbH  
Werkstraße 16  
D-59494 Soest  
www.boga.de  
+49 2921 96943-0



## WDK wall brackets

Item no. 2000100  
Purpose for UB-8  
for RB/P-2...16  
for RB/PD-2...16



# Product data sheet AIRWIN® NKBD Mounting frame

Accessories AIRWIN®

The NKBD mounting frame is a product of the AIRWIN® brand of BOGA GmbH. It belongs to the optional accessories of the NKBD duct humidifier. For easy installation, the mounting frame is installed directly in the airconditioning duct and the humidifiers are placed on it. The mounting frame consists of vertical frames, telescopic struts and mounting brackets to hold the humidifiers. The vertical frames are selected according to the duct height. The adjustable telescopic struts should be in the range of the duct width to ensure that the mounting frame can be clamped in the airconditioning duct.

## Specification

- Vertical frame, telescopic struts and mounting brackets made of stainless steel V2A
- Quick and easy installation of duct humidifiers in the airconditioning duct

Article	Item. no.	Description	Weight	for duct height	PU
<b>Vertical frame 500-699</b>	2001401	height adjustable from 500 to 699 mm, made of V2A stainless steel, incl. clamping screws and adjustable feet	5.0 kg	500-699 mm	Set
<b>Vertical frame 700-1199</b>	2001402	height adjustable from 700 to 1199 mm, made of V2A stainless steel, incl. clamping screws and adjustable feet	7.0 kg	700-1199 mm	Set
<b>Vertical frame 1200-2000</b>	2001403	height adjustable from 1200 to 2000 mm, made of V2A stainless steel, incl. clamping screws and adjustable feet	11.0 kg	1200-2000 mm	Set

Article	Item. no.	Description	Weight	for duct width	PU
<b>Telescopic strut 500-799</b>	2001411	length adjustable from 500 to 799 mm, made of V2A stainless steel, incl. clamping screws	2.2 kg	500-799 mm	Set
<b>Telescopic strut 800-1399</b>	2001412	length adjustable from 800 to 1399 mm, made of V2A stainless steel, incl. clamping screws	3.4 kg	800-1399 mm	Set
<b>Telescopic strut 1400-2000</b>	2001413	length adjustable from 1400 to 2000 mm, made of V2A stainless steel, incl. clamping screws	5.0 kg	1400-2000 mm	Set

Article	Item. no.	Description	Weight	Dimensions	PU
<b>Mounting bracket</b>	2000105	for NKBD duct mounting, made of V2A stainless steel, incl. adjustable feet. Requirements: NKBD 6...24 = 2 mounting brackets NKBD-30...42 = 3 mounting brackets	0.35 kg	354 x 30 x 76 mm	pc

## Order example (image)

- 1 set of vertical frames according to the duct height
- 2 sets of telescopic struts according to the duct width
- 4 mounting brackets according to the NKBD model (here: 2 x NKBD-18)

## Product specification

Brand

AIRWIN®



Rev 11/2016



The leakage tray size A is a product of the AIRWIN® brand of BOGA GmbH. It belongs to the optional accessories of the direct room air humidifier with humidification outputs up to 3 kg/h. For safe installation of the humidifier in the room, the leakage tray is attached to the wall at a suitable height. Particularly in sensitive environments, it is recommended to use a leakage tray to ensure that leaking water is drained safely via the pipe connection on the floor in case of a water leak.

## Specification

- Leakage tray size A made of stainless steel V2A with a glossy surface
- Adjustable mounting rails made of stainless steel V2A for different humidifiers
- Safe wall installation
- Pipe connection with R½ " on the floor for connection to the drainage system
- Long holes for mounting with Ø11 mm
- 3-sided edge protection

Article	Item no.	Description	Weight	Dimensions height x width x depth	PU
Leakage tray size A	2001120	For RB/P-2...6 For RB/P-D2...6	9.3 kg	610 x 380 x 259 mm	pc

## Scope of delivery

- 1 leakage tray size A
- 2 mounting rails
- 4 washers A2 - Ø 8.4
- 4 nuts A2-M8
- 4 screws A2 M8x16



## Product specification

Brand  
Model  
Item no.

AIRWIN®  
Leakage tray size A  
2001120



Rev 11/2016



The leakage tray size B is a product of the AIRWIN® brand of BOGA GmbH. It belongs to the optional accessories of the direct room air humidifier with humidification outputs up to 3 kg/h. For safe installation of the humidifier in the room, the leakage tray is attached to the wall at a suitable height. Particularly in sensitive environments, it is recommended to use a leakage tray to ensure that leaking water is drained safely via the pipe connection on the floor in case of a water leak.


## Specification

- Leakage tray size B made of stainless steel V2A with a glossy surface
- Adjustable mounting rails made of stainless steel V2A for different humidifiers
- Safe wall installation
- Pipe connection with R½ " on the floor for connection to the drainage system
- Long holes for mounting with Ø11 mm
- 3-sided edge protection

Article	Item no.	Description	Weight	Dimensions height x width x depth	PU
<b>Leakage tray size B</b>	2001121	For RB/P-8...10 For RB/P-D8...10	11.8 kg	790 x 380 x 259 mm	pc

## Scope of delivery

- 1 leakage tray size B
- 2 mounting rails
- 4 washers A2 - Ø 8.4
- 4 nuts A2-M8
- 4 screws A2 M8x16



## Product specification

Brand  
Model  
Item no.

AIRWIN®  
Leakage tray size B  
2001121



Rev 11/2016





The leakage tray size C is a product of the AIRWIN® brand of BOGA GmbH. It belongs to the optional accessories of the direct room air humidifier with humidification outputs up to 3 kg/h. For safe installation of the humidifier in the room, the leakage tray is attached to the wall at a suitable height. Particularly in sensitive environments, it is recommended to use a leakage tray to ensure that leaking water is drained safely via the pipe connection on the floor in case of a water leak.

## Specification

- Leakage tray size C made of stainless steel V2A with a glossy surface
- Adjustable mounting rails made of stainless steel V2A for different humidifiers
- Safe wall installation
- Pipe connection with R½ " on the floor for connection to the drainage system
- Long holes for mounting with Ø11 mm
- 3-sided edge protection

Article	Item no.	Description	Weight	Dimensions height x width x depth	PU
<b>Leakage tray size C</b>	2001122	For RB/P-16 For RB/P-D16	15.0 kg	1060 x 380 x 259 mm	pc

## Scope of delivery


- 1 leakage tray size C
- 2 mounting rails
- 4 washers A2 - Ø 8.4
- 4 nuts A2-M8
- 4 screws A2 M8x16



## Product specification

Brand  
Model  
Item no.

AIRWIN®  
Leakage tray size C  
2001122



Rev 11/2016



**AIRWIN**  
Die Kunst der Luftbefeuchtung  
The art of humidification

BOGA GmbH  
Werkstraße 16  
D-59494 Soest  
www.boga.de  
+49 2921 96943-0



The leakage tray size D is a product of the AIRWIN® brand of BOGA GmbH. It belongs to the optional accessories of the universal humidifiers UB-1...4. For safe installation of the humidifier in the room, the leakage tray is attached to the wall at a suitable height. Particularly in sensitive environments, it is recommended to use a leakage tray to ensure that leaking water is drained safely via the pipe connection on the floor in case of a water leak.

## Specification

- Leakage tray size D made of stainless steel V2A with a glossy surface
- Safe wall installation
- Pipe connection with R½ " on the floor for connection to the drainage system
- Holes for mounting with Ø6-10 mm
- Circumferential edge protection

Description	Item no.	Design	Weight	Dimensions height x width x depth	PU
Leakage tray size D	2001123	For UB-1...4	4,1 kg	248 x 425 x 295 mm	pc

## Scope of delivery

- Leakage tray size D



## Product specification

Brand  
Model  
Item no.

AIRWIN®  
Leakage tray size D  
2001123



Rev 10/2019



The WDK wall brackets are products of the AIRWIN® brand of BOGA GmbH. They are part of the range of optional accessories for the direct room air humidifiers and the universal air humidifier UB-8. For easy installation of the humidifier in the room, the WDK wall brackets are attached to the wall at a suitable height. The compact wall brackets ensure that maintenance work may be done in an uncomplicated way.

## Specification

- WDK wall brackets are made of stainless steel V2A with 4 threaded bolts M8
- Quick and easy installation of direct room humidifiers and the universal air humidifier UB-8 to the wall
- Long holes for mounting with Ø11 mm

Item	Item. no.	Description	Weight	Dimensions	PU
<b>WDK wall brackets</b>	2000100	1 set = 1 left + 1 right	1.8 kg	L = 365 mm	1 Set

## Scope of delivery

- 1 set of WDK wall brackets
- 4 washers A2 - Ø 8,4
- 4 nuts A2-M8



## Product specification

Brand  
Model  
Item no.

AIRWIN®  
WDK wall brackets  
2000100



Rev 11/2016



**AIRWIN**  
Die Kunst der Luftbefeuchtung  
The art of humidification

BOGA GmbH  
Werkstraße 16  
D-59494 Soest  
www.boga.de  
+49 2921 96943-0

